

Version 2

Reviewed on 01.11.2022

# **1** Identification

- · Product identifier
- <sup>.</sup> Trade name: Noritake Super Porcelain EX-3: NP Bonder
- · Article number: WD825-NPB
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Dental porcelain

#### · Details of the supplier of the safety data sheet

• Manufacturer: Kuraray Noritake Dental Inc. 300 Higashiyama, Miyoshi-cho, Miyoshi, Aichi, 470-0293 Japan Phone:+81-(0)561-32-8953 Fax:+81-(0)561-32-8976

Contact information : Kuraray Noritake Dental Inc. Overseas Sales Department Sales and Marketing Division Tokiwabashi Tower, 2-6-4 Otemachi, Chiyoda-ku, Tokyo 100-0004, Japan Phone: +81-(0)3-6701-1748 Fax: +81-(0)3-6701-1805 e-mail: Dentalinfo.Jp@kuraray.com

# 2 Hazard(s) identification

#### $\cdot$ Classification of the substance or mixture

Carc. 2 H351 Suspected of causing cancer.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



#### · Signal word Warning

· Hazard-determining components of labeling:

Bisphenol A diglycidylmethacrylate

- titanium dioxide
- · Hazard statements

H351 Suspected of causing cancer.

#### · Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Other hazards Void

(Contd. on page 2)



Version 2

Printing date 01.11.2022

Reviewed on 01.11.2022

Trade name: Noritake Super Porcelain EX-3: NP Bonder

(Contd. of page 1)

#### · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

# **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous | components: |
|-----------|-------------|
|-----------|-------------|

| 8          | 1                |  |      |
|------------|------------------|--|------|
| 56-81-5    | glycerol         |  | <25% |
| 13463-67-7 | titanium dioxide | 🕹 Carc. 2, H351                            | <20% |
| 107-88-0   | 1,3-Butanediol   | 🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319 | <8%  |

#### **Other ingredients:**

Potassium alumino silicate glass

Pigments

## **4 First-aid measures**

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions: No special measures required.
- $\cdot$  Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Printing date 01.11.2022

# Version 2

Reviewed on 01.11.2022

Trade name: Noritake Super Porcelain EX-3: NP Bonder

(Contd. of page 2)

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store at room temperature.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 56-81-5 glycerol

PEL (USA) Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

TLV (USA) TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

# 9 Physical and chemical properties • Information on basic physical and chemical properties • General Information • Appearance: Form: Pasty Colored



Printing date 01.11.2022

Version 2

Reviewed on 01.11.2022

#### Trade name: Noritake Super Porcelain EX-3: NP Bonder

|   |   | (Contd. of page 3 |
|---|---|-------------------|
| · Odor:                                 | Odorless                                      |                   |
| · Odor threshold:                       | Not determined.                               |                   |
| · pH-value:                             | Not determined.                               |                   |
| · Change in condition                   |   |                   |
| Melting point/Melting range:            | 18.18 °C (glycerol)                           |                   |
| <b>Boiling point/Boiling range:</b>     | 290.0 °C (glycerol)                           |                   |
| · Flash point:                          | 177 °C (glycerol)                             |                   |
| · Flammability (solid, gaseous):        | Not determined.                               |                   |
| · Ignition temperature:                 | 523 °C (glycerol)                             |                   |
| · Decomposition temperature:            | Not determined.                               |                   |
| · Auto igniting:                        | Not determined.                               |                   |
| · Danger of explosion:                  | Product does not present an explosion hazard. |                   |
| · Explosion limits:                     |   |                   |
| Lower:                                  | 0.9 Vol % (glycerol)                          |                   |
| Upper:                                  | Not determined.                               |                   |
| · Oxidizing properties                  | Not determined.                               |                   |
| · Vapor pressure at 20 °C:              | 0.1 hPa (glycerol)                            |                   |
| · Density:                              |   |                   |
| Relative density                        | Not determined.                               |                   |
| Vapor density                           | Not determined.                               |                   |
| Evaporation rate                        | Not determined.                               |                   |
| · Solubility in / Miscibility with      |   |                   |
| Water:                                  | Partly miscible.                              |                   |
| · Partition coefficient (n-octanol/wate | er): Not determined.                          |                   |
| · Viscosity:                            | Not determined                                |                   |
| · Dynamic:                              | Not determined.                               |                   |
| · Kinematic:                            | Not determined.                               |                   |
| • Other information                     | No further relevant information available.    |                   |

# **10 Stability and reactivity**

• Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: None

(Contd. on page 5)



Printing date 01.11.2022

# Version 2

#### Trade name: Noritake Super Porcelain EX-3: NP Bonder

(Contd. of page 4)

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 107-88-0 1,3-Butanediol

Oral LD50 18610 mg/kg (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

# **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| UN-Number                 |      |  |
|---------------------------|------|--|
| DOT, ADR, ADN, IMDG, IATA | Void |  |
| UN proper shipping name   |      |  |
| DOT                       | Void |  |
| ADR, ADN, IMDG, IATA      | Void |  |

WD



Safety Data Sheet Compliant with GHS Version 6

Printing date 01.11.2022

Version 2

Trade name: Noritake Super Porcelain EX-3: NP Bonder

|  |                          | (Contd. of page 5) |
|--|--------------------------|--------------------|
| · Transport hazard class(es)   |                          |                    |
| · DOT, ADR, ADN, IMDG, IATA  |                          |                    |
| · Class  | Void                     |                    |
| <sup>·</sup> Packing group<br><sup>·</sup> DOT, ADR, IMDG, IATA        | Void                     |                    |
| · Environmental hazards:<br>· Marine pollutant:                        | No                       |                    |
| · Special precautions for user   | Not applicable.          |                    |
| • Transport in bulk according to Annex<br>MARPOL73/78 and the IBC Code | II of<br>Not applicable. |                    |
| · UN "Model Regulation":   | Void                     |                    |

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- Substances dangereuses désignées ANNEXE I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### • Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2